

ADVERTISEMENT

New Content

Genetics: Risk variant synergizes with household insecticide exposure to increase risk for Parkinson's disease

M G Tansey *et al.*

EDITORS-IN-CHIEF David Sulzer, PhD | K Ray Chaudhuri, MD FRCP DSc



npj | Parkinson's Disease

ADVERTISEMENT

nature International weekly journal of science

Search [Advanced search](#)

Home | News & Comment | Research | Careers & Jobs | Current Issue | Archive | Audio & Video | For Authors

News & Comment > News > 2015 > May > Article

NATURE | NEWS



'Instinctive' robot recovers from injury fast

Restorative algorithm has potential to make a variety of machines resilient.

Daide Castelvechi

27 May 2015

Recommended




Italian scientists vilified in wake of olive-tree deaths

Police investigate researchers' role in devastating

Your System Status

WE'RE SORRY!

You need to update your Flash Player.



IMPORTANT: After installing the required upgrade please reload this browser window to view the video player.

Computer scientists have endowed a six-legged robot with the ability to rapidly modify its motion to cope with damage, such as the loss of a foot. They say the algorithm that enables this recovery, which they liken to an instinct, could add resilience to other machines, from [robots that work in disaster areas](#) such as the stricken Fukushima nuclear power plant to [self-driving cars](#).

Although robots can be pre-programmed with contingency plans, there will always be problems that engineers had not foreseen or that they cannot diagnose from a distance. “We want to have robots that can be useful for

bacterial epidemic.

Recent	Read	Commented	Emailed
1. Ancient humans brought tools to Europe <i>Nature</i> 01 June 2015			
2. Sawfish spawn without sex <i>Nature</i> 01 June 2015			
3. Mysterious die-off sparks race to save saiga antelope <i>Nature</i> 01 June 2015			
4. Nigeria's new leadership raises hopes for science <i>Nature</i> 01 June 2015			
5. Italian scientists vilified in wake of olive-tree deaths <i>Nature</i> 01 June 2015			



a long period of time, without humans to perform maintenance,” says Jean-Baptiste Mouret, an artificial-intelligence researcher at France's national computer science agency INRIA in Villers-lès-Nancy, who led the work, which is published in *Nature* today¹.

In pioneering work in 2006, evolutionary roboticist Josh Bongard at the University of Vermont in Burlington and his team built a six-legged robot that [diagnosed its own injuries](#)² and calculated new motion patterns that enabled it to resume operations. But although the hexapod robot broke new grounds in machine self-awareness, it was slow to adapt to new situations. “Time is of the essence,” says Bongard. “If a car starts to skid off the road, it needs to find a way to recover very quickly.”

In the latest work, Mouret and his team devised a simpler strategy — a “shortcut”, as he describes it — for their six-legged walker. After a fault, such as the loss of one of its feet or a stuck knee, the robot uses its on-board camera to detect that something is slowing it down or preventing it from walking straight. Rather than attempting to diagnose the problem, the robot simply tries out new patterns of motion until it finds one that enables it to restore an acceptable level of

Related stories

- [Intelligent robots must uphold human rights](#)
- [Autonomous vehicles: No drivers required](#)
- [Researchers create 1,000-robot swarm](#)

[More related stories](#) ►

The scientific accomplishments
and promising future of chemical biology.

nature

SOCIAL SELECTION

Nature's
snapshot of
science on

performance.

Waxy floors

To help their hexapod recover faster than previous machines, Mouret's team equipped it with a library of about 13,000 walking patterns that were calculated in advance using a computer model of the robot. They compare this library to the innate knowledge that makes up an animal's instinct

Choosing these patterns from the much larger pool, or 'space', of all possible movements took a computer work station two weeks: the researchers initially encoded the walking patterns as 36 variable parameters — such as how wide a leg swings forward, and by what angle, at each step — and then cut down the number of parameters to six by focusing on plausible movements.

Armed with this knowlege, the hexapod usually needed just a minute or less to start walking again after a failure. In some cases, the robot found that hopping was now the most efficient way to move (see video above).

The algorithm also enabled the hexapod to adapt in situations where there was no mechanical failure but the environmental conditions, for example the type of terrain, had changed — as the researchers discovered when they tested an early version after their lab's floors had

SCIENCE ON
social media

Science jobs from **naturejobs**

Quality Assurance Manager

NonStop Pharma Recruitment

MICHIGAN / Gastroenterology Opportunity near Ann Arbor

Allegiance Health

Faculty Positions Available in Southwest University

SOUTHWEST UNIVERSITY

Assistant, Associate or Professor Level

University of Louisville

Hematopoietic Stem Cell Transplantation Post-Doctoral Scientist

Indiana University

[Post a Free Job](#) ▶

[More Science Jobs](#) ▶

been freshly waxed.

The work is “very exciting”, Bongard says, although he warns that it remains to be seen whether the team’s methods can be scaled up to more complex machines: a robot's space of behaviours grows exponentially as its complexity increases.

One advantage of the approach is that it relies mostly on software and so works independently of a robot's specific physical design. The researchers successfully tested the algorithm on an entirely different kind of machine — a robotic arm. “Virtually any robot would benefit from this,” says Mouret.

Nature | doi:10.1038/nature.2015.17641

Read the related News & Views article '[Artificial intelligence: Robots with instincts](#)'.

References

1. Cully, A., Clune, J., Tarapore, D. & Mouret, J.-B. *Nature* **521**, 503–507 (2015).

 [Show context](#)

[Article PubMed](#)

2. Bongard, J., Zykov, V. & Lipson, H. *Science* **314**, 1118–1121 (2006).

[- Related stories and links](#)

From nature.com

- [Intelligent robots must uphold human rights](#)
24 March 2015
- [Autonomous vehicles: No drivers required](#)
04 February 2015
- [Researchers create 1,000-robot swarm](#)
14 August 2014
- [Autonomous drones flock like birds](#)
26 February 2014
- [Injured robots learn to limp](#)
16 November 2006
- [Mars rovers win an upgrade](#)
16 March 2006
- [Nature Insight: Machine intelligence](#)

From elsewhere

- [Jean-Baptiste Mouret](#)
 - [Josh Bongard](#)
-


For the best commenting experience, [please login or register as a user](#) and agree to our [Community Guidelines](#). You will be re-directed back to this page where you will see comments updating in real-time and have the ability to recommend comments to other users.

Comments

 [Subscribe to comments](#)

There are currently no comments.


See other News & Comment articles from *Nature*



[Ancient humans brought tools to Europe](#)



[Sawfish spawn without sex](#)



[Mysterious die-off sparks race to save saiga antelope](#)



[Nigeria's new leadership raises hopes for science](#)

Nature ISSN 0028-0836 EISSN 1476-4687

[About NPG](#)
[Contact NPG](#)

[Privacy policy](#)
[Use of cookies](#)

[Naturejobs](#)
[Nature Asia](#)

[About Nature](#)
[Contact Nature](#)

Search

[Accessibility statement](#)

[Legal notice](#)

[Nature Education](#)

[About the Editors](#)

[Help](#)

[Terms](#)

[RSS web feeds](#)

[Nature awards](#)



© 2015 Nature Publishing Group, a division of Macmillan Publishers Limited. All Rights Reserved.
partner of AGORA, HINARI, OARE, INASP, CrossRef and COUNTER